

	Hits	Search Text
23	24	("5077607"   "5100386"   "5146556"   "5508815"   "5515495"   "5517254"   "5517257"   "5559459"   "5568272"   "5648824"   "5659335"   "5678041"   "5708845"   "5734853"   "5796952"   "5839112"   "5929349"   "5974201"   "5977964"   "6006265"   "6012051"   "6044403"   "6052714"   "6070167").PN.
24	234	(cursor adj display) near5 (location)
25	19	(cursor adj display) adj (location)
26	24	(cursor with TV) and OSD and location
27	0	((cursor near3 location) with TV) and OSD and location
28	0	((cursor with location) with TV) and OSD and location
29	0	((cursor with location) with TV) and OSD
30	4	((cursor same location) same TV) and OSD
31	5	(cursor and TV) and OSD and (bitmap near4 format)
32	0	asynchronus adj plug adj register
33	6	asynchronous adj plug adj register
34	6	asynchronous adj plug adj register
35	10	asynchronous near5 plug near5 register
36	301	(710/306).CCLS.
37	157	(710/317).CCLS.
38	305	(342/359).CCLS.
39	0	(342/569).CCLS.
40	333	(348/569).CCLS.
41	0	((342/359).CCLS.) and ((cursor adj display) with (data location)) and memory
42	1	((348/569).CCLS.) and ((cursor adj display) with (data location)) and memory
43	0	((342/359).CCLS.) and ((cursor adj display) and (data location)) and memory
44	14	OSD and (cursor near6 register)
45	1	OSD same (cursor near2 register)

	<b>DBs</b>
<b>23</b>	USPAT
<b>24</b>	US-PGPUB; USPAT
<b>25</b>	US-PGPUB; USPAT
<b>26</b>	US-PGPUB; USPAT
<b>27</b>	US-PGPUB; USPAT
<b>28</b>	US-PGPUB; USPAT
<b>29</b>	US-PGPUB; USPAT
<b>30</b>	US-PGPUB; USPAT
<b>31</b>	USPAT
<b>32</b>	US-PGPUB; USPAT
<b>33</b>	US-PGPUB; USPAT
<b>34</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>35</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>36</b>	USPAT; USOCR
<b>37</b>	USPAT; USOCR
<b>38</b>	USPAT; USOCR
<b>39</b>	USPAT; USOCR
<b>40</b>	USPAT; USOCR
<b>41</b>	US-PGPUB; USPAT
<b>42</b>	US-PGPUB; USPAT
<b>43</b>	US-PGPUB; USPAT
<b>44</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>45</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text
<b>46</b>	3	OSD same (cursor near6 register)
<b>47</b>	2	OSD with (cursor near6 register)
<b>48</b>	16	(transm\$5 near5 only near5 cursor)
<b>49</b>	19	(transm\$5 near5 only near5 cursor)

	<b>DBs</b>
<b>46</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>47</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>48</b>	US-PGPUB; USPAT
<b>49</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB